

Adhesive Tape

pomona
we do it better



| | |
|----|--|
| 3 | Adhesive Tapes Hints and Tricks |
| 5 | Hand Packaging Tapes |
| 6 | Eco Friendly Hand Packaging Tapes / Stationery Tapes |
| 7 | Machine Tapes & Machines |
| 8 | Message Tapes |
| 9 | Labels on a Roll |
| 11 | Custom Printed Products |
| 12 | Barrier Tapes |
| 13 | Specialty Packaging Tapes |
| 14 | Tape Dispensers |
| 15 | Labelopes |
| 16 | Construction & Waterproofing |
| 17 | Cloth Tapes |
| 18 | Masking Tapes |
| 20 | Masking Films |
| 21 | Single Sided Foam Tapes |
| 22 | Double Sided Tissue Carrier / Double Sided Cloth & Scrum Carrier |
| 23 | Double Sided Film Carrier |
| 24 | Double Sided Foam Carrier / Hook & Loop |
| 25 | Double Sided PHB Tapes |
| 26 | Double Sided Transfer Tapes / Protection Films & Tapes |

Even if a self-adhesive tape can be applied on almost all materials, evaluation of the application parameters and conditions before making a choice is advised.

Application Surface

Normally, self-adhesive tapes are compatible with a majority of application surfaces and materials, but certain surfaces may have low compatibility or anti adhesive properties. In some cases, the adhesion may be affected by chemical interaction. It is always recommended to carry out compatibility tests before use.

LOW COMPATIBILITY SURFACES INCLUDE:

- Polystyrene
- Powdered coated paints
- Acetal Plastic
- Polypropylene

Other low compatibility surfaces include:
PVA, EVA, Polyethylene, PTFE and fluoride film

SOME HIGH COMPATIBILITY SURFACES INCLUDE:

- Stainless Steel
- Polyester
- Aluminium
- Nylon

Other High compatibility surfaces include:
Copper, Zinc, Tin, Lead, Glass porcelain, Acrylic and PVC Rigid.

Primers

Tape primers may increase the compatibility of the surface and the adhesive tape. Please speak to one of Pomona's technical staff or email sales@pomona.co.nz to discuss our primers and if they are right for your application.

Conditions of use

The best temperature for application ranges between 15°C and 25°C in a dry environment, and it is not recommended to apply the tape with temperatures lower than 10°C. Even if a tape is recommended for cold temperatures, it is best to apply the tape in the normal temperature range first. If application temperatures are substantially different from the recommended temperature range, the adhesive can behave differently according to its chemical nature.

For the best results please consider these recommendations

- Application surfaces should be dry and free from dust particles.
- Do not apply on surfaces treated or contaminated by anti-adhesives.
- Do not use paint containing additives which could reduce the adhesive properties of the tape.
- Avoid surfaces containing plasticisers or other chemical agents not compatible with the tape.
- In case of rough or irregular surfaces, it is better to use a tape with a higher quantity of adhesive.
- Some tapes may need the assistance of extra tools such as a pressure roller for better bonding results.
- Please refer to the product's technical data sheet for more information on final bonding times and testing results performed in Pomona's lab.

Tape Storage

Ideally store tape between 15°C and 25°C with a maximum relative humidity of 65%. Always store away from heat sources, avoiding exposure to light and if possible, keep in the original packaging. When temperatures are lower than 15°C it is highly recommended to recondition the adhesive tape to normal temperatures (15°C and 25°C) before use.

Tape Shelf Life

Self-adhesive tapes technical features are generally not permanent but remain at their best for approximately 12 months if stored according to the suggested conditions and by avoiding extreme environmental conditions such as sudden temperature changes, exposure to UV light and high levels of humidity.

Hand Packaging Tapes

The Pomona range of high quality pressure sensitive packaging and carton sealing tapes are an excellent choice for New Zealand’s various grades of board and carton, as well as the environmental variations. These packaging tapes are specially formulated using BOPP and vinyl films and coated with premium grade acrylic, hot melt and solvent rubber adhesives.



S93
General Purpose
OPP Acrylic Packaging Tape

48mm x 100m



S98
Medium Duty
OPP Acrylic Packaging Tape

48mm x 100m



S99 CS
Heavy Duty
OPP Acrylic Packaging Tape

24/36/48/72mm x 100m



S100
Freezer Grade
OPP Acrylic Packaging Tape

24/36/48/72mm x 100m




S101
Low Noise
OPP Acrylic Packaging Tape

48mm x 100m



S126
Coloured
OPP Acrylic Packaging Tape

48mm x 100m



S30 CS
Premium
OPP Rubber Packaging Tape

48mm x 100m



S31
Premium
OPP Hot Melt Packaging Tape

24/48mm x 100m




S330 CS
Premium
Vinyl Rubber Packaging Tape

24/36/48mm x 66/100m



S350 CS
Coloured
uPVC Rubber Packaging Tape

18/24/36/48mm x 66m



S1554 CS
Easy Release
Vinyl Rubber Packaging Tape

24/36/48mm x 55m



SCUSTOM
Custom Printed
Packaging Tape
(Up to 3 Colours)
24/36/48/72mm x 100m

Eco Friendly Hand Packaging Tapes



Pomona eco friendly packaging tapes are an environmentally friendly alternative to traditional plastic packaging tapes. Their natural rubber adhesive gives them excellent adhesion to a wide range of cardboards.



S131ECO CS 🌱
Natural Cellulose Clear
Biodegradable Rubber
Packaging Tape
48mm x 100m




ECOPACK15 CS
Paper Packaging Tape

24/36/48mm x 50m



GP04 🌱
Kraft Water Activated
Gum Paper Tape
100% Recyclable
70mm x 165m



GP06 🌱
Kraft Reinforced
Water Activated
Gum Paper Tape
70mm x 165m



Dispenser required for Water Activated Tapes - Refer to page 14.



GP04WP 🌱
Custom Printed
Water Activated Gum Paper
Tape - 100% Recyclable
36/48/72mm x 50m



Dispenser required for Water Activated Tapes - Refer to page 14.



GP04BP 🌱
Custom Printed
Water Activated Gum Paper
Tape - 100% Recyclable
36/48/72mm x 50m



Stationery Tapes

Specially formulated BOPP, invisible and cellulose films offer high quality holding, securing, bonding and packaging solutions for office, retail, art and craft and general stationery applications. Available in both acrylic and natural rubber adhesives.



S137
Invisible
OPP Acrylic Stationery Tape

19mm x 33m



S135
General Purpose
OPP Acrylic Stationery Tape

18/24mm x 66m



S131SC
Cellulose Rubber Small Core
Stationery Tape

12/18mm x 33m




S131
Cellulose Rubber
Stationery Tape

12/18/24mm x 66m



Machine Tapes & Machines

Pomona BOPP film machine carton sealing tapes are available with a number of high tack acrylic and hot melt adhesives, in a wide range of widths and lengths. High tack, clean release and excellent adhesion are key characteristics of Pomona’s machine tapes, which are used in both general and fridge/freezer packaging carton sealing.



S1536C
Heavy Duty OPP Acrylic
Machine Carton Sealing Tape

36mm x 1500m



S1548C
Heavy Duty OPP Acrylic
Machine Carton Sealing Tape

48mm x 1500m



S1848C
Heavy Duty OPP Acrylic
Machine Carton Sealing Tape

48mm x 1800m



S1872C
Heavy Duty OPP Acrylic
Machine Carton Sealing Tape

72mm x 1800m



S1500
Freezer Grade OPP Acrylic
Machine Carton Sealing Tape

36/48mm x 1500m



S3115
Premium OPP Hot Melt
Machine Carton Sealing Tape

36/48mm x 1500m



S1048
Coloured OPP Acrylic
Machine Carton Sealing Tape

48mm x 1000m



S1048C
Heavy Duty OPP Acrylic
Machine Carton Sealing Tape

48mm x 1000m



S131M481000 CS 
Natural Cellulose Clear
Biodegradable Rubber
Machine Carton Sealing Tape

48mm x 1000m



ECOPACK1548500 CS 
Paper Machine Carton
Sealing Tape

48mm x 500m



S2048C
Heavy Duty OPP Acrylic
Machine Carton Sealing Tape

48mm x 2000m



SCM
Custom Printed
Machine Carton Sealing Tape
(Up to 3 Colours)
24/36/48mm x 1000m



EC702
Auto Uniform
Carton Sealer




EC702A
Auto Random
Carton Sealer

Message Tapes




Pomona pre-printed message tapes are available in low noise and standard BOPP films, with both acrylic and natural rubber adhesives. High quality bold print for clear messaging in a number of specialised packaging applications. Ideal in the packaging of retail goods, export of food, meat and seafood industries as well as expensive and delicate shipping items. See page 8 for Custom printed tape options.




S335S
SOLD
Vinyl Rubber Message Tape

24mm x 66m




S335H
HOLD
Vinyl Rubber Message Tape

48mm x 66m




S111IE272
INEDIBLE NOT FOR
HUMAN CONSUMPTION
OPP Acrylic Message Tape

72mm x 100m




S111RP
REPACKED CARTON
OPP Acrylic Message Tape

48mm x 100m




S110
FRAGILE HANDLE WITH CARE
OPP Acrylic Message Tape

48mm x 100m



S109
SECURITY SEAL
OPP Acrylic Tape

48mm x 100m




S36
FRAGILE
OPP Acrylic Message Tape
Low Noise

48mm x 66m

Labels on a Roll

Pomona’s printed labels on a roll are clean, efficient and cost effective. Each perforated label is laminated with clear plastic, making a waterproof and durable label, ideally suited for outdoor and long term applications. With no messy release paper to dispose of, our labels make for clean efficient application and are made in Auckland, New Zealand.



S4020
DELIVER TO
Printed Labels on a Roll

96mm x 125mm (400 labels)



S4021
HOLD Quality Control
Printed Labels on a Roll

60mm x 150mm (333 labels)



S4022
Approved Quality Control
Printed Labels on a Roll

60mm x 150mm (333 labels)



S4023
DON'T CRUSH
Printed Labels on a Roll

72mm x 100mm (660 labels)



S4025
FRAGILE
Printed Labels on a Roll

72mm x 100mm (660 labels)



S4026
TOP STOW
Printed Labels on a Roll

72mm x 100mm (660 labels)



S4027
THIS WAY UP
Printed Labels on a Roll

72mm x 100mm (660 labels)



S4028
URGENT
Printed Labels on a Roll

72mm x 100mm (660 labels)



S4029
HANDLE WITH CARE
Printed Labels on a Roll

72mm x 100mm (660 labels)



S4030
GLASS WITH CARE
Printed Labels on a Roll

72mm x 100mm (660 labels)



S4031
HEAVY
Printed Labels on a Roll

72mm x 100mm (660 labels)



S4031Y
HEAVY Yellow
Printed Labels on a Roll

72mm x 100mm (660 labels)



S4032
CORROSIVE 8
Printed Labels on a Roll

96mm x 100mm (500 labels)



S4033
NON-FLAMMABLE
COMPRESSED GAS 2
Printed Labels on a Roll

96mm x 100mm (500 labels)



S4034
FLAMMABLE GAS 2
Printed Labels on a Roll

96mm x 100mm (500 labels)



S4035
FLAMMABLE LIQUID 3
Printed Labels on a Roll

96mm x 100mm (500 labels)



Labels on a Roll cont.



S4036
DANGEROUS GOODS
Printed labels on a roll

96mm x 100mm (500 labels)



S4037
REJECT
Printed labels on a roll

60mm x 150mm (333 labels)



S4038
KEEP DRY
Printed labels on a roll

96mm x 100mm (500 labels)



S4039
MISCELLANEOUS
DANGEROUS SUBSTANCES
Printed Labels on a Roll

96mm x 100mm (500 labels)



S4040DGLB
DG LITHIUM BATTERY
Printed Labels on a Roll

120mm x 125mm (400 labels)



S4040LITHIUM
DG LITHIUM BATTERY
Printed Labels on a Roll

120mm x 125mm (400 labels)



S4040USD
URGENT SAME DAY
Printed Label on a Roll

72mm x 100mm (500 labels)



S4040
Custom Printed
Labels on a Roll
48/72/96/144mm x 100m
Rolls of 333/400/500/660 labels



Custom Printed Products

Custom printed tapes are an inexpensive marketing tool that can turn every parcel, carton or package into a valuable form of advertising and brand recognition. The Pomona custom printed tape division makes high quality, sharply defined print in-house, that many national and international organisations entrust to reproduce their valuable branding.



SCUSTOM
Custom Printed
Packaging Tape
(Up to 3 Colours)
24/36/48/72mm x 100m




SCM
Custom Printed
Machine Carton Sealing Tape
(Up to 3 Colours)
24/36/48mm x 1000m



S4040
Custom Printed
Labels on a Roll
48/72/96/144mm x 100m
Rolls of 333/400/500/660 labels



B3100
Custom Printed
Barrier Tape
(1 Colour Print)
75/100mm x 300m



S107
Custom Printed
Faprop OPP Acrylic Adhesive
Vegetable Bundling Tape
15mm x 100m



S108
Custom Printed
Faprop OPP Rubber Adhesive
Vegetable Bundling Tape
15mm x 100m



GP04WP
Custom Printed
Water Activated Gum Paper
Tape - 100% Recyclable
36/48/72mm x 50m



GP04BP
Custom Printed
Water Activated Gum Paper
Tape - 100% Recyclable
36/48/72mm x 50m

Dispenser required for Water Activated Tapes - Refer to page 14.



S624
Custom Printed
Lope on A Roll
126mm x 153mm (333 lopes)



S624ECO
Custom Printed
Lope on A Roll Eco Friendly
Bio Degradable Cellulose
126mm x 153mm (333 lopes)

Barrier Tapes



Pomona's non-adhesive barrier tapes are waterproof, strong and ideal for creating a temporary barrier, or warning users of hazardous sites. Our barrier tapes are available in various colours and standard bold messaging and print.



B3100KEEPCLEAR
KEEP CLEAR Barrier Tape
100mm x 300m



B3100DONOTUSE
DO NOT USE Barrier Tape
100mm x 300m



B3100REST
RESTRICTED AREA
PLEASE KEEP OUT Barrier Tape
100mm x 300m



B3100DKO
DANGER KEEP OUT
Barrier Tape
100mm x 300m



B3100CAUTION
CAUTION Barrier Tape
75/100mm x 300m



B3100
Barrier Tape
100mm x 300m



B3100RW
Red & White Stripe
Barrier Tape
100mm x 300m



B3100BLK/YEL
Black & Yellow Stripe
Barrier Tape
100mm x 300m



B375DANGERBR
DANGER Barrier Tape
75mm x 300m



B375DANGERBRNS
DANGER (No Symbol)
Barrier Tape
75mm x 300m



B3100
Custom Printed
Barrier Tape
(1 Colour Print)
75/100mm x 300m

Specialty Packaging Tapes

Pomona specialty tapes provide high quality packaging solutions in a wide range of specialised areas. uPVC, PET, MOPP and OPP are specially formulated with high tack acrylic and natural rubber adhesives, resulting in high bonding solutions in specialised strapping, splicing, sealing and joining applications.



S350 CS
uPVC Rubber
Bag Neck Tape

9/12mm x 66m



S107
Fapro OPP Acrylic Adhesive
Vegetable Bundling Tape

15mm x 100m



S108
Fapro OPP Rubber Adhesive
Vegetable Bundling Tape

15mm x 100m



S174 CS
MOPP Hot Melt
Strapping Tape
High Tensile
6/12/18/24/36/48mm x 50m



S802 CS
Bi Directional
BOPP/Glass Fibre
Filament Tape
6/18/24/36/48mm x 45m



S803 CS
Very High Tensile
Mono Directional BOPP/Glass
Fibre Filament Tape
18/19/24/36/48mm x 50m



S347 CS
Kraft Paper Hot Melt
Rubber Tape
24/36/48mm x 50m



S6270 CS
Flat Back Paper Rubber
Picture Framing Tape
18/24/36/48/72mm x 50m



S601
Tamper Evident
FAA OPENED Security Tape

48mm x 50m




S5000
Clear High Tack Multi Pack
Handle Tape

25mm x 5000m

Tape Dispensers



Pomona's professional grade dispensers are designed to efficiently apply the Pomona range of tapes. Our tape dispensers come in a variety of shapes and styles, including the teardrop and the pistol grip dispenser.



SCPTAPP
Duplocoll CPT Applicator




S8958
Desktop Tape Dispenser

205mm x 80mm x 92mm



S8978B
Blue E7-R
Metal Bag Neck Sealer

Applicable tape width: 9-12mm



S8978S
Stainless Steel E7-R
Metal Bag Neck Sealer

Applicable tape width: 9-12mm



S8970
ATG Transfer
Tape Dispenser
Applicable tape width:
6/12/19mm



S8979
Pistol Grip
Tape Dispenser
Applicable tape width: 75mm
Spare Parts Available




S8981
Metal Teardrop
Tape Dispenser
Applicable tape width:
38/50mm



S8983MINI
Mini Pistol Grip
Tape Dispenser
Fits: 18mm x 33m rolls



S8984
Pistol Grip Tape Dispenser
With Safety Blade Cover
Applicable tape width:
36/48mm Spare Parts Available



S8985
H15 Noise Reduction
Tape Dispenser
Applicable tape width:
36/48mm



S8988
Lope on A Roll Dispenser
Used in conjunction with the
S624 and S624ECO




GUMDISP1
Gum Paper
Tape Dispenser

Takes up to 75mm width



GUMDISP404
Semi Automatic
Water Activated
Tape Dispenser
Takes up to 75mm width



GUMDISP504
Automatic
Water Activated
Tape Dispenser
Takes up to 75mm width

Labelopes

Labelopes provide a fast and easy method for shipped goods information. Easy to apply in both standard and high tack versions, Pomona's labelopes are available in packing slip enclosed, invoice enclosed and plain in standard 115mm x 150mm sizes as well as A4 and A5 plain labelopes.



S671
PACKING SLIP ENCLOSED
Hi Tack Labelope
(1000 / Box)
115mm x 150mm



S672
INVOICE ENCLOSED
Hi Tack Labelope
(1000 / Box)
115mm x 150mm



S674
Plain
Hi Tack Labelope
(1000 / Box)
115mm x 150mm



S771
PACKING SLIP ENCLOSED
Labelope
(1000 / Box)
115mm x 150mm



S772
INVOICE ENCLOSED
Labelope
(1000 / Box)
115mm x 150mm



S774
Plain Labelope
(1000 / Box)
115mm x 150mm



S776
Plain Long Side Opening
Labelope
(500 / Box)
140mm x 175mm



S655A
Plain A5
High Adhesion Labelope
(500 / Box)
175mm x 235mm



S777
Plain A4 Long Side Opening
High Adhesion Labelope
(500 / Box)
235mm x 332mm



S624
Lope on A Roll

Custom Print Available
126mm x 153mm (333 lopes)



S624ECO 
Lope on A Roll Eco Friendly
Bio Degradable Cellulose
Custom Print Available
126mm x 153mm (333 lopes)



S8988
Lope on A Roll Dispenser

Used in conjunction with the
S624 and S624ECO


Construction & Waterproofing



Specially formulated PE, PVC and foil films with both acrylic and rubber adhesives. Pomona construction tapes provide top quality solutions in a wide range of applications such as electrical insulation, film joining, ducting and floor marking. Available in a number of bold, single or multi coloured versions with high tack, strong, weatherproof and waterproof qualities.



R7
PVC Rubber
Electrical Insulation Tape

18mm x 20m





R32 / R34 / R35
General Purpose
PVC Poly Film
Duct Tape
48mm x 30m





S34  **CS**
Premium PVC Rubber Poly
Film Joining Tape
High Tack
48/72/96mm x 30m





S35
Premium PVC Rubber Poly
Film Joining Tape

48mm x 30m




S470  **CS**
Exterior Grade
PVC Rubber Joining Tape

18/24/36/48/72/96mm x 50m




S88
UL Flame Retardant
PVC Rubber
Electrical Insulation Tape
18mm x 20m





S471
High Tack PVC Rubber
Floor Marking Tape

48mm x 33m





R705
Anti Slip Tape
80 Grit

48mm x 5m





S718
Anti Slip Tape
80 Grit

48mm x 18m




S901
Aluminium Foil
Acrylic Tape


50/75mm x 50m

S913  **CS**
Exterior Grade
PE Modified Acrylic
Joinery Protection Tape
18/24/36/48/72/100mm x 66m




S920  **CS**
Exterior Grade
PE Modified Acrylic
UV Resistant Protection Tape
48/72/500mm x 5/25/50m

S820  **CS**
Aluminium Foil
Bitumen Flashing Tape

75/100mm x 10m





S830  **CS**
Aluminium Foil
Butyl Flashing Tape

50/65/75mm x 3m


Cloth Tapes

Waterproof, weatherproof, strong and hand tearable, Pomona cloth tapes are available in gloss and matt finishes with numerous PE cloth and rayon mesh films. Top-quality high tack rubber adhesive and a wide range of bold colours make this range the perfect choice in construction areas, sound and lighting, bookbinding and general DIY applications.




S370 CS
Industrial Grade Rayon
Hot Melt Rubber Cloth Tape
36/48/72/96/144mm x 30m
[Color swatches]



S361 CS
Premium 80 Mesh Rayon
Natural Rubber Cloth Tape
18/24/36/48/60/
72/80/96/144mm x 30m
[Color swatches]



S3615
Rayon Hot Melt Rubber
Cloth Tape
48mm x 5m
[Color swatches]



S362 CS
80 Mesh Matt Rayon
Rubber Cloth Tape
36/48/72/96mm x 25m
[Color swatches]



S380 CS
Green Exterior U.V Resistant
Cloth Masking Tape
24/36/48mm x 30m
[Color swatches]



S719613
PTFE 1.3mm Fibreglass
Cloth Tape
12.5/18/24/48mm x 10/50m
[Color swatches]



S719618
PTFE 1.8mm Fibreglass
Cloth Tape
12.5/18/24/48mm x 10/50m
[Color swatches]

Masking Tapes



The Pomona range of premium professional and specialised masking tapes provide a high quality result in the painting/decorating, marine and automotive markets. Specially formulated crepe and washi papers, vinyl and PET films coated with premium acrylic, solvent rubber and silicone adhesives, provide clean lines, excellent adhesion and ease of removal in all applications.



RR136 CS
Premium Multi-purpose
Japanese Washi Tape
18/24/36/48mm x 50m
[Color swatches]



RR163 CS
High Tack
Japanese Washi Tape
18/24/36/48mm x 50m
[Color swatches]



RR170 CS
Delicate Surface
Japanese Washi Tape
18/24/36/48mm x 50m
[Color swatches]



RR190 CS
Exterior Multi-Surface
Japanese Washi Tape
18/24/36/48mm x 50m
[Color swatches]



S6143 CS
General Purpose
Crepe Rubber Masking Tape
12/18/24/36/48/72mm x 50m
[Color swatches]



S6064 CS
Automotive
Natural General Purpose
Crepe Rubber Masking Tape
18/24/36/42/48mm x 50m
[Color swatches]



S264 CS
Natural Professional
Crepe Rubber Masking Tape
12/24/36/48/72mm x 50m
[Color swatches]



S413
High Temperature Fine Line
Masking Tape
3/6/12mm x 55m
[Color swatches]



S236 CS
Yellow Professional Painters
Crepe Rubber Masking Tape
18/24/36/48mm x 50m
[Color swatches]



S239 CS
Green Professional Painters
Crepe Rubber Masking Tape
18/24/36/48mm x 50m
[Color swatches]



S270 CS
Super Fine Edge 28+ Day
Masking Tape
18/24/36/48mm x 50m
[Color swatches]



S271 CS
Blue Painter's 21+ Day
Masking Tape
18/24/36/48mm x 50m
[Color swatches]




S121 CS
Premium High Temperature
Crepe Rubber Masking Tape
18/24/36/48mm x 50m
[Color swatches]



S112 CS
Premium High Temperature
Crepe Rubber Masking Tape
12/18/24/36/48mm x 50m
[Color swatches]




S128 CS
High Performance
Crepe Rubber Masking Tape
18/24/36/48mm x 50m
[Color swatches]



S5850 CS
14 Day Exterior
uPVC Rubber Masking Tape
18/24/36/48mm x 50m
[Color swatches]

Masking Tapes cont.



S380 **CS** 
Green Exterior U.V Resistant
Cloth Masking Tape

24/36/48mm x 30m



S180 **CS** 
High Temperature PET
Silicone Masking Tape

10/18/20/24/36/48/60/72 x 66m



Masking Films



Pomona’s interfold, pre taped and combination masking films are all made from corona treated, high density polyethylene film. Available in a number of sizes for all residential, automotive and industrial masking applications. Non-porous, anti static clear film material resists paint penetration and clings to the desired surface preventing paint overspray.



S6650
HDPE Automotive
Drape Film

120m x 5m



S6506
Heavy Duty Exterior Grade
Masking Film

610mm x 50m



S6512
Heavy Duty Exterior Grade
Masking Film

1200mm x 50m



S6518
Heavy Duty Exterior Grade
Masking Film

1800mm x 25m



S6525
Heavy Duty Exterior Grade
Masking Film

2500mm x 25m



S6527
Heavy Duty Exterior Grade
Masking Film

2700mm x 25m



S6705
Green Cloth Pre Taped
Masking Film

550mm x 15m



S6711
Green Cloth Pre Taped
Masking Film

1100mm x 15m



S6718
Green Cloth Pre Taped
Masking Film

1800mm x 15m



S6724
Green Cloth Pre Taped
Masking Film

2400mm x 15m



S6810 & S6820
Cover Masker 3 in 1
Drop Film - Pre Taped
S6810: 1000mm x 20m
S6820: 2000mm x 20m



KM150 up to KM900
MG Kraft Paper
Masking Rolls 50gsm

144/288mm x 50m



KM150 up to KM900
MG Kraft Paper
Counter Rolls 50gsm

300/450/600/900mm x 400m



Single Sided Foam Tapes

Pomona’s foam tapes are suitable for a wide range of industries, including the construction and automotive markets. Pomona’s single sided foam tapes are lined with high quality pressure sensitive acrylic adhesive, that is resistant to abrasion, moisture and corrosion.



SF3005
Single Sided Soft
PE Foam Tape
Thickness: 6mm
18mm x 15m



SF3010
Single Sided Soft
PE Foam Tape
Thickness: 10mm
18mm x 7m



SF3109 **CS**
Single Sided Soft
PVC Foam Tape
Thickness: 3/6/9/12/18mm



SF3099 **CS**
Single Sided Soft
PVC Foam Tape
Thickness: 3.2/6.3/9.5/
12.7/19mm




SF3154 **CS**
Single Sided Medium
PVC Foam Tape
Thickness: 3/6mm



SF3259 **CS**
Single Sided Medium
PVC Foam Tape
Thickness: 1.5/3.0/4.5/6.0/
10.5/12.0/15.0mm



SF3507 **CS**
Single Sided Hard
PVC Foam Tape
Thickness: 0.8/1.5/3.0/
4.5/6.0mm



SF7064
Neoprene Nitrile
Foam Tape
Thickness: 6.4mm
30mm x 13.6m



Double Sided Tissue Carrier



Tissue carriers offer appreciable stretch resistance, while at the same time facilitating the application on different types of substrates, irregular, smooth or rough. These products, which can be torn by hand, are easy to handle, offer even quality and uniformity in all applications. Easy to apply, laminate, cut or even tear by hand, double-sided non-woven tissue tapes are particularly suited to kiss-cutting, sail making and non stop splicing applications.



S401 **CS**
Double Sided
Clear Acrylic Tissue Tape
9/12/18/24mm x 33m



S402 **CS**
Double Sided Tissue
Hot Melt Rubber Tape
12/24/36/48mm x 50m



S403 **CS**
Double Sided
Clear Solvent Acrylic Tape
12/18/24/48mm x 33/50m



S405 **CS**
Double Sided Clear Tissue
High Temperature
Solvent Acrylic Tape
6/12/18/24/36/48mm x 50m



Double Sided Cloth & Scrim Carrier

From cloth double sided tape to butyl mesh tape, Pomona has a wide range of specialty double sided tapes to suit your needs. Ideal for waterproofing, fastening very rough carpets and permanent bonding applications.



S730 **CS**
Double Sided PET
Cloth Rubber Carpet Tape
18/48mm x 10m



S1120N **CS**
Duplocoll Double Sided
Dispersion Acrylic Scrim
Carrier Tape
20/40mm x 50m



S5931 **CS**
Butyl Mesh Tape
with Kraft Paper Liner
1.0mmTH
10/12/25/48mm x 15m



S5932 **CS**
Butyl Mesh Tape
with Kraft Paper Liner
2.0mmTH
10/12/25mm x 10m



S5933 **CS**
Double Sided Butyl Tape
0.6mmTH
12/18/24/36/48mm x 30m



S1010 **CS**
Double Sided Superior
High Tack Tape
48mm x 25m



Double Sided Film Carrier

The plastic film allows for separation of the glue on both sides, while at the same time remaining thin. Rigidity, conformability, stretch resistance and tear resistance are the main qualities of double sided film carrier tapes.



S1405 CS
Double Sided OPP
Acrylic Tape

12/18/24/36/48mm x 33m



S1205 CS
Double Sided Clear uPVC Film
Rubber Tape

12/18/24/48mm x 33m



S412 CS
Double Sided White uPVC
Film Modified Acrylic Tape

12/18/24/36/48mm x 25m



S411V2 CS
Double Sided Clear PET Film
High Temp Acrylic Tape

Custom Sizes Available
12/18/24/36/48mm x 50m



S704 CS
Double Sided Acrylic
Solvent Rubber
Exhibition Tape

24/48mm x 50m



Double Sided Foam Carrier



High performance adhesive foam tapes offer excellent UV, temperature, oil, solvent resistance and conformability on all substrates. Designed for complex fixtures and assembly scenarios. Used in state-of-the-art-edge industries, their foam backings and variable densities ensure strong, definitive bonding inside or out.



S5123 CS
Duplocoll® 2.0mmTH
Double Sided PE Modified
Acrylic Foam Tape

12/18/24/48mm x 25m



S1816 CS
Double Sided 1.6mmTH
PE Modified Acrylic
Foam Tape

12/18/24/36mm x 25m



S1811 CS
Double Sided 1.1mmTH
PE Modified Acrylic
Foam Tape

12/18/24/48mm x 25m



S931F CS
Duplocoll® 1.3mmTH
Double Sided Pure Acrylic
PE Foam Tape

12/18/24mm x 10/25m



S9182 CS
Duplocoll® 1.0mmTH
Double Sided Pure Acrylic
PE Foam Tape

12/18/24/48mm x 50m



S57005 CS
Duplocoll® 1.0mmTH
Double Sided PE Modified
Acrylic Open Side Foam Tape

12/18/24/48mm x 25m




Hook & Loop

Hook and loop rolls have a strong adhesive backing which are heavy duty and easy to use. With fast application, these products are a cost effective alternative to Velcro. No need for glue and nails, Pomona hook and loop are ideal for securing items and hanging pictures on walls.



SVHOOK
Hook Adhesive Roll
100% Nylon

25mm x 25m



SVLOOP
Loop Adhesive Roll
100% Nylon

25mm x 25m



Double Sided PHB Tapes (Permanent High Bond)

Pomona PHB tapes provide convenient, simple fastening, ideal for use in many interior and exterior bonding applications. Highly durable, with good solvent and moisture resistance that give PHB tapes their unique characteristics. The specially formulated adhesive allows a high level of adhesion to a wide range of substrates. Available in customised widths and in a number of different thicknesses.



S3011
White Double Sided
1.1mmTH Permanent
Acrylic High Bond Tape
12/18/24mm x 33m



S3402 **CS**
Double Sided 0.2mmTH
Crystal Clear Permanent
High Bond Tape
12/18/24mm x 33m



S3405 **CS**
Double Sided 0.5mmTH
Crystal Clear Permanent
High Bond Tape
12/18/24mm x 33m



S3410 **CS**
Double Sided 1.0mmTH
Crystal Clear Permanent
High Bond Tape
12/18/24mm x 33m



S3420 **CS**
Double Sided 2.0mmTH
Crystal Clear
PE Acrylic PHB Tape
12/18/24mm x 16.5m



S3706 **CS**
Double Sided 0.064mmTH
Grey PE Acrylic PHB Tape
9/12mm x 33m



S3711 **CS**
Double Sided 1.1mmTH
Grey Permanent
High Bond Tape
12/18/24/48mm x 33m



R3811 **CS**
Auto Trim Mount Tape
1.1mmTH
12/18/24mm x 33m



S7040
Double Sided 0.4mmTH
Grey Permanent
High Bond Tape
12/18mm x 55m



SCPT96207
Duplocoll® 2.00mmTH
Crystal Clear Pure Adhesive
Acrylic Tape
7mm x 16.5m



SCPT96209
Duplocoll® 2.00mmTH
Crystal Clear Pure Adhesive
Acrylic Tape
9mm x 16.5m



SCPT96307
Duplocoll® 3.00mmTH
Crystal Clear Pure Adhesive
Acrylic Tape
7mm x 16.5m



SCPT96309
Duplocoll® 3.00mmTH
Crystal Clear Pure Adhesive
Acrylic Tape
9mm x 16.5m



Double Sided Transfer Tapes



With no carrier, transfer tapes are highly conformable and easy to apply. They represent a highly viable alternative to direct coating in a number of processes. This adhesive solution combines high performance with economy. Economical with excellent conformability, transfer tapes may be applied to a wide range of substrates.



S5135
Double Sided Transparent
High Adhesion ATG
Transfer Tape
6/12mm x 16.5m



S5130
Double Sided
Transparent Permanent ATG
Transfer Tape
6/12/19mm x 33m



S450 **CS**
Duplocoll® Double Sided
Crystal Clear Pure Acrylic
Adhesive High Temp Tape
12/18/24/36/48mm x 100m



Protection Films & Tape

Pomona's protection films can be used for a wide range of applications. Strong and tear resistant, they are ideal for use on carpet, glass and plastic surfaces.



SPFL7100 **CS**
Clear (Reverse Wound)
Floor Protection Film
(Adhesive on outside)
80um x 1000mm x 100m



SPFL8500C **CS**
Clear (Normal Wound)
mid tack Surface
Protection Film
50um x 1200mm x 100m



SPFL8200G
Green Felt Floor
Protection Film
1mm x 1000mm x 50m



S913 **CS**
Exterior Grade
PE Modified Acrylic
Joinery Protection Tape
18/24/36/48/72/100mm x 66m



S920 **CS**
Exterior Grade
PE Modified Acrylic
UV Resistant Protection Tape
48/72/500mm x 5/25/50m




Label Artwork Information

Choose Your Design



Available print repeat lengths (mm)



- | | |
|-----------------|---------------|
| 1. Minimum Size | 37mm x 50mm |
| 2. Popular Size | 72mm x 100mm |
| 3. Popular Size | 96mm x 100mm |
| 4. Maximum Size | 250mm x 144mm |

Tape Artwork Information

Choose Your Design



Roll Direction



Available print repeat lengths (mm)

- | | | |
|----------------------------|----------------------------|----------------------------|
| 150mm (artwork size 145mm) | 228mm (artwork size 223mm) | 275mm (artwork size 70mm) |
| 163mm (artwork size 158mm) | 237mm (artwork size 232mm) | 304mm (artwork size 299mm) |
| 177mm (artwork size 172mm) | 251mm (artwork size 246mm) | 400mm (artwork size 395mm) |
| 203mm (artwork size 198mm) | 254mm (artwork size 249mm) | 500mm (artwork size 492mm) |

File Requirements

Please note 300dpi minimum for any jpeg file supplied.

If you supply your artwork already setup please use the artwork size above to create your file.



Pomona Group Limited
PO Box 21806, Henderson
Auckland 0650
P 0800 766 662
www.pomona.co.nz

