

# Adhesive Tape

May 2026



# Contents

3	Adhesive Tapes Hints and Tricks
5	Hand Packaging Tapes
6	Eco Friendly Hand Packaging Tapes / Stationery Tapes
7	Machine Tapes & Machines
8	Message Tapes
9	Labels on a Roll
11	Custom Printed Products
12	Barrier Tapes
13	Specialty Packaging Tapes
14	Tape Dispensers
15	Labelopes
16	Eco Paper Labelopes
17	Construction & Waterproofing
18	Cloth Tapes
19	Masking Tapes
20	Masking Films
21	Double Sided Tissue Carrier / Double Sided Cloth & Scrum Carrier
22	Double Sided Film Carrier
23	Single Sided Foam Tapes / Double Sided Foam Carrier
24	Double Sided PHB Tapes
25	Double Sided Transfer Tapes / Protection Films & Tapes
26	Custom Label and Tape Artwork Information

Even if a self-adhesive tape can be applied on almost all materials, evaluation of the application parameters and conditions before making a choice is advised.

## Application Surface

Normally, self-adhesive tapes are compatible with a majority of application surfaces and materials, but certain surfaces may have low compatibility or anti adhesive properties. In some cases, the adhesion may be affected by chemical interaction. It is always recommended to carry out compatibility tests before use.

### LOW COMPATIBILITY SURFACES INCLUDE:

- Polystyrene
- Powder coated paints
- Acetal Plastic
- Polypropylene

Other low compatibility surfaces include:

PVA, EVA, Polyethylene, PTFE and fluoride film

### SOME HIGH COMPATIBILITY SURFACES INCLUDE:

- Stainless Steel
- Polyester
- Aluminium
- Nylon

Other High compatibility surfaces include:

Copper, Zinc, Tin, Lead, Glass, Porcelain, Acrylic and Rigid PVC.

## Primers

Tape primers may increase the compatibility of the surface and the adhesive tape. Please speak to one of Pomona's technical staff or email [sales@pglgroup.co.nz](mailto:sales@pglgroup.co.nz) to discuss our primers and if they are right for your application.

## Conditions of use

The best temperature for application ranges between is 15°C and 25°C in a dry environment, and it is not recommended to apply the tape with temperatures lower than 10°C. Even if a tape is recommended for cold temperatures, it is best to apply the tape in the normal temperature range first. If application temperatures are substantially different from the recommended temperature range, the adhesive can behave differently according to its chemical nature.

For the best results please consider these recommendations

- Application surfaces should be dry and free from dust particles.
- Do not apply on surfaces treated or contaminated by anti-adhesives.
- Do not use paint containing additives which could reduce the adhesive properties of the tape.
- Avoid surfaces containing plasticisers or other chemical agents not compatible with the tape.
- In case of rough or irregular surfaces, it is better to use a tape with a higher quantity of adhesive.
- Some tapes may need the assistance of extra tools such as a pressure roller for better bonding results.
- Please refer to the product's technical data sheet for more information on final bonding times and testing results performed in Pomona's lab.

## Tape Storage

Ideally store tape between 15°C and 25°C with a maximum relative humidity of 65%. Always store away from heat sources, avoiding exposure to light and if possible, keep in the original packaging. When temperatures are lower than 15°C it is highly recommended to recondition the adhesive tape to normal temperatures (15°C and 25°C) before use.

## Tape Shelf Life

Self-adhesive tapes technical features are generally not permanent but remain at their best for approximately 12 months if stored according to the suggested conditions and by avoiding extreme environmental conditions such

as sudden temperature changes, exposure to UV light and high levels of humidity.

## Kakariki Eco-Friendly Ranges



The Pomona Tapes Kakariki range offers a range of environmentally friendly alternative products to traditional plastic packaging tapes, where the rubber adhesive gives them excellent adhesion to a wide range of cardboards.

The eco-friendly Kakariki range includes Clear rPET Packaging Tape, Custom Printed Water Activated Gum Paper Tape that is 100% recyclable, Natural Cellulose Clear Packing Tape, Paper A4 Plain Labelopes, Paper Labels, Paper Machine Carton Sealing Tape, Paper Packaging tape and Paper Invoice Enclosed Labelopes.

# Hand Packaging Tapes

The Pomona range of high quality pressure sensitive packaging and carton sealing tapes are an excellent choice for New Zealand's various grades of board and carton, as well as the environmental variations. These packaging tapes are specially formulated using BOPP and vinyl films and coated with premium grade acrylic, hot melt and solvent rubber adhesives.



**S91C**  
Clear OPP Light Duty  
Packaging Tape

48mm x 100m



**S93**  
General Purpose  
OPP Acrylic Packaging Tape

48mm x 100m



**S98**  
Medium Duty  
OPP Acrylic Packaging Tape

48mm x 100m



**S99 cs**  
Heavy Duty  
OPP Acrylic Packaging Tape

24/36/48/72mm x 100m



**S100**  
Freezer Grade  
OPP Acrylic Packaging Tape

24/36/48/72mm x 100m



**S101**  
Low Noise  
OPP Acrylic Packaging Tape

48mm x 100m



**S126**  
Coloured  
OPP Acrylic Packaging Tape

48mm x 100m



**S30 cs**  
Premium  
OPP Rubber Packaging Tape

48mm x 100m



**S31**  
Premium  
OPP Hot Melt Packaging Tape

24/48mm x 100m



**S330 cs**  
Premium  
Vinyl Rubber Packaging Tape

24/36/48mm x 66/100m



**S350 cs**  
Coloured  
uPVC Rubber Packaging Tape

18/24/36/48mm x 66m



**S1554 cs**  
Easy Release  
Vinyl Rubber Packaging Tape

24/36/48mm x 55m



**S3165C**  
Heavy Duty  
BOPP Packaging Tape

48mm x 100m



**SCUSTOM**  
Custom Printed  
Packaging Tape  
(Up to 3 Colours)

24/36/48/72mm x 100m

# Eco Friendly Hand Packaging Tapes

Pomona eco friendly packaging tapes are an environmentally friendly alternative to traditional plastic packaging tapes. Their natural rubber adhesive gives them excellent adhesion to a wide range of cardboards.



**S131ECO cs**  
Natural Cellulose Clear  
Biodegradable Rubber  
Packaging Tape

48mm x 100m



**S351C**  
Clear rPET  
Packaging Tape

48mm x 100m



**ECOPACK15 / W15 cs**  
Paper Packaging Tape

24/36/48mm x 50m



**GP04**  
Kraft Water Activated  
Gum Paper Tape  
100% Recyclable

70mm x 165m



**GP06**  
Kraft Reinforced  
Water Activated  
Gum Paper Tape

70mm x 165m



**GP04WP**  
Custom Printed  
Water Activated Gum Paper  
Tape - 100% Recyclable

36/48/72mm x 50m



**GP04BP**  
Custom Printed  
Water Activated Gum Paper  
Tape - 100% Recyclable

36/48/72mm x 50m

Dispenser required for Water Activated Tapes - Refer to page 14.

# Stationery Tapes

Specially formulated BOPP, invisible and cellulose films offer high quality holding, securing, bonding and packaging solutions for office, retail, art and craft and general stationery applications. Available in both acrylic and natural rubber adhesives.



**S137**  
Invisible  
OPP Acrylic Stationery Tape

19mm x 33m



**S135**  
General Purpose  
OPP Acrylic Stationery Tape

18/24mm x 66m



**S131**  
Cellulose Rubber  
Stationery Tape

12/18/24mm x 66m

# Machine Tapes & Machines

Pomona BOPP film machine carton sealing tapes are available with a number of high tack acrylic and hot melt adhesives, in a wide range of widths and lengths. High tack, clean release and excellent adhesion are key characteristics of Pomona's machine tapes, which are used in both general and fridge/freezer packaging carton sealing.



**S1536C**  
Heavy Duty OPP Acrylic  
Machine Carton Sealing Tape

36mm x 1500m



**S1548C**  
Heavy Duty OPP Acrylic  
Machine Carton Sealing Tape

48mm x 1500m




**S1500**  
Freezer Grade OPP Acrylic  
Machine Carton Sealing Tape

36/48mm x 1500m



**S3115**  
Premium OPP Hot Melt  
Machine Carton Sealing Tape

36/48mm x 1500m



**S1048**  
Coloured OPP Acrylic  
Machine Carton Sealing Tape

48mm x 1000m



**S1048C**  
Heavy Duty OPP Acrylic  
Machine Carton Sealing Tape

48mm x 1000m



**ECOPACK1548500 CS**  
Paper Machine Carton  
Sealing Tape

48mm x 500m



**S2048C**  
Extra Long OPP Acrylic  
Machine Carton Sealing Tape

48mm x 2000m



**SCM**  
Custom Printed  
Machine Carton Sealing Tape  
(Up to 3 Colours)  
24/36/48mm x 1000m



**PGL702**  
Auto Uniform Carton Sealer  
(Top & Side Belt Drive)



**PGL702A**  
Auto Random Carton Sealer  
(Top & Side Belt Drive)



**National  
Packaging Machinery**

See the full range of Tape Machines please visit  
[www.nationalpackaging.co.nz](http://www.nationalpackaging.co.nz)

# Message Tapes

Pomona pre-printed message tapes are available in low noise and standard BOPP films, with both acrylic and natural rubber adhesives. High quality bold print for clear messaging in a number of specialised packaging applications. Ideal in the packaging of retail goods, export of food, meat and seafood industries as well as expensive and delicate shipping items. See page 8 for Custom printed tape options.



**S335S**  
SOLD  
Vinyl Rubber Message Tape

24mm x 66m



**S335H**  
HOLD  
Vinyl Rubber Message Tape

48mm x 66m



**S111E272**  
INEDIBLE NOT FOR  
HUMAN CONSUMPTION  
OPP Acrylic Message Tape  
72mm x 100m



**S111RP**  
REPACKED CARTON  
OPP Acrylic Message Tape

48mm x 100m



**S110**  
FRAGILE HANDLE WITH CARE  
OPP Acrylic Message Tape

48mm x 100m



**S109**  
SECURITY SEAL  
OPP Acrylic Tape

48mm x 100m



**S36**  
FRAGILE  
OPP Acrylic Message Tape  
Low Noise  
48mm x 66m



**ECOPACK15**  
FRAGILE4850  
FRAGILE Paper Message Tape

48mm x 50m

# Labels on a Roll

Pomona's printed labels on a roll are clean, efficient and cost effective. Each perforated label is laminated with clear plastic, making a waterproof and durable label, ideally suited for outdoor and long term applications. With no messy release paper to dispose of, our labels make for clean efficient application and are made in Auckland, New Zealand.



**S4320**  
DELIVER TO  
Printed PET Labels on a Roll

96mm x 125mm (400 labels)



**S4321**  
HOLD Quality Control  
Printed PET Labels on a Roll

60mm x 150mm (333 labels)



**S4322**  
Approved Quality Control  
Printed PET Labels on a Roll

60mm x 150mm (333 labels)



**S4323**  
DON'T CRUSH  
Printed PET Labels on a Roll

72mm x 100mm (660 labels)



**S4325**  
FRAGILE  
Printed PET Labels on a Roll

72mm x 100mm (660 labels)



**S4326**  
TOP STOW  
Printed PET Labels on a Roll

72mm x 100mm (660 labels)



**S4327**  
THIS WAY UP  
Printed PET Labels on a Roll

72mm x 100mm (660 labels)



**S4328**  
URGENT  
Printed PET Labels on a Roll

72mm x 100mm (660 labels)



**S4329**  
HANDLE WITH CARE  
Printed PET Labels on a Roll

72mm x 100mm (660 labels)



**S4330**  
GLASS WITH CARE  
Printed PET Labels on a Roll

72mm x 100mm (660 labels)



**S4331**  
HEAVY  
Printed PET Labels on a Roll

72mm x 100mm (660 labels)



**S4331Y**  
HEAVY Yellow  
Printed PET Labels on a Roll

72mm x 100mm (660 labels)



**S4332**  
CORROSIVE 8  
Printed PET Labels on a Roll

96mm x 100mm (500 labels)



**S4333**  
NON-FLAMMABLE  
COMPRESSED GAS 2  
Printed PET Labels on a Roll

96mm x 100mm (500 labels)



**S4334**  
FLAMMABLE GAS 2  
Printed PET Labels on a Roll

96mm x 100mm (500 labels)



**S4335**  
FLAMMABLE LIQUID 3  
Printed PET Labels on a Roll

96mm x 100mm (500 labels)



# Labels on a Roll continued



**S4336**  
DANGEROUS GOODS  
Printed PET Labels on a Roll

96mm x 100mm (500 labels)



**S4337**  
REJECT  
Printed PET Labels on a Roll

60mm x 150mm (333 labels)



**S4338**  
KEEP DRY  
Printed PET Labels on a Roll

96mm x 100mm (500 labels)



**S4339**  
MISCELLANEOUS  
DANGEROUS GOODS  
Printed PET Labels on a Roll

96mm x 100mm (500 labels)



**S4340DGLB**  
DG LITHIUM BATTERY  
Printed PET Labels on a Roll

120mm x 125mm (400 labels)



**S4340LITHIUM**  
DG LITHIUM BATTERY  
Printed PET Labels on a Roll

120mm x 125mm (400 labels)



**S4340USD**  
URGENT SAME DAY  
Printed PET Labels on a Roll

72mm x 100mm (500 labels)



**S4340**  
Custom Printed  
PET Labels on a Roll  
48/72/96/144mm x 100m  
Rolls of 333/400/500/660 labels



# Custom Printed Products


Custom printed tapes are an inexpensive marketing tool that can turn every parcel, carton or package into a valuable form of advertising and brand recognition. The Pomona custom printed tape division makes high quality, sharply defined print in-house, that many national and international organisations entrust to reproduce their valuable branding. Custom printed artwork requirements are on page 26.



**SCUSTOM**  
Custom Printed Packaging Tape  
(Up to 3 Colours)  
24/36/48/72mm x 100m



**SCM**  
Custom Printed Machine Carton Sealing Tape  
(Up to 3 Colours)  
24/36/48mm x 1000m



**S4340**  
Custom Printed Labels on a Roll  
48/72/96/144mm x 100m  
Rolls of 333/400/500/660 labels



**B3100**  
Custom Printed Barrier Tape  
(1 Colour Print)  
75/100mm x 300m



**GP04WP**  
Custom Printed Water Activated Gum Paper Tape - 100% Recyclable  
36/48/72mm x 50m



**GP04BP**  
Custom Printed Water Activated Gum Paper Tape - 100% Recyclable  
36/48/72mm x 50m



**ECOPACK15 / W15**  
Paper Packaging Tape  
24/36/48mm x 50m



**ECOPACK15FRAGILE**  
Paper Labels on a Roll  
72mm x 100mm (500 labels)



**S624**  
Custom Printed Lope on A Roll  
126mm x 153mm (333 lopes)



**S624ECO**  
Custom Printed Lope on A Roll Eco Friendly Bio Degradable Cellulose  
126mm x 153mm (333 lopes)

# Barrier Tapes

Pomona's non-adhesive barrier tapes are waterproof, strong and ideal for creating a temporary barrier, or warning users of hazardous sites. Our barrier tapes are available in various colours and standard bold messaging and print.



**B3100KEEPCLEAR**  
KEEP CLEAR Barrier Tape  
100mm x 300m



**B3100DONOTUSE**  
DO NOT USE Barrier Tape  
100mm x 300m



**B3100REST**  
RESTRICTED AREA PLEASE KEEP OUT Barrier Tape  
100mm x 300m



**B3100DKO**  
DANGER KEEP OUT Barrier Tape  
100mm x 300m



**B3100CAUTION**  
CAUTION Barrier Tape  
75/100mm x 300m



**B3100**  
Barrier Tape  
100mm x 300m



**B3100RW**  
Red & White Stripe Barrier Tape  
100mm x 300m



**B3100BLK/YEL**  
Black & Yellow Stripe Barrier Tape  
100mm x 300m



**B375DANGERBR**  
DANGER Barrier Tape  
75mm x 300m



**B375DANGERBRNS**  
DANGER (No Symbol) Barrier Tape  
75mm x 300m



**B3100**  
Custom Printed Barrier Tape  
(1 Colour Print)  
75/100mm x 300m

# Specialty Packaging Tapes

Pomona specialty tapes provide high quality packaging solutions in a wide range of specialised areas. uPVC, PET, MOPP and OPP are specially formulated with high tack acrylic and natural rubber adhesives, resulting in high bonding solutions in specialised strapping, splicing, sealing and joining applications.



**S350 CS**  
uPVC Rubber  
Bag Neck Tape

9/12mm x 66m



**S174 CS**  
MOPP Hot Melt  
Strapping Tape  
High Tensile

6/12/18/24/36/48mm x 50m

See Danco  
for a full range  
of strapping  
tapes



**S802 CS**  
Bi Directional  
BOPP/Glass Fibre  
Filament Tape

6/18/24/36/48mm x 45m



**S347 CS**  
Kraft Paper Hot Melt  
Rubber Tape

24/36/48mm x 50m



**S6270 CS**  
Flat Back Paper Rubber  
Picture Framing Tape

18/24/36/48/72mm x 50m



**S601**  
Tamper Evident  
FAA OPENED Security Tape

48mm x 50m




**S5000**  
Clear High Tack Multi Pack  
Handle Tape

25mm x 5000m

# Tape Dispensers

Pomona's professional grade dispensers are designed to efficiently apply the Pomona range of tapes. Our tape dispensers come in a variety of shapes and styles, including the teardrop and the pistol grip dispenser.



**SCPTAPP**  
Duplocoll CPT Applicator



**S8978B**  
Blue E7-R  
Metal Bag Neck Sealer

Applicable tape width: 9-12mm



**S8978S**  
Stainless Steel E7-R  
Metal Bag Neck Sealer

Applicable tape width: 9-12mm



**S8970**  
ATG Transfer  
Tape Dispenser  
Applicable tape width:  
6/12/19mm



**S8981**  
Metal Teardrop  
Tape Dispenser  
Applicable tape width:  
50mm



**S8984**  
Pistol Grip Tape Dispenser  
With Safety Blade Cover  
Applicable tape width: 36/48mm  
Spare Parts Available




**S8985**  
H15 Noise Reduction  
Tape Dispenser  
Applicable tape width:  
36/48mm



**S8992**  
3" SAFEGUARD™  
Tape Dispenser  
Core Diameter: 3" (76mm)  
Tape Roll Width: 3" (76mm)




**S8994**  
2" Low Noise Tape Dispenser  
(2" and 3" twin core)  
Core Dia: 2" (50.8mm) 3" (76mm)  
Tape Roll Width: 2" (50.8mm)



**S8988**  
Lope on A Roll Dispenser  
Used in conjunction with the  
S624 and S624ECO



**S8989**  
Automatic Length  
Tape Dispenser



**GUMDISP1**  
Gum Paper  
Tape Dispenser

Takes up to 75mm width



**GUMDISP404**  
Semi Automatic  
Water Activated  
Tape Dispenser

Takes up to 75mm width



**GUMDISP504**  
Automatic  
Water Activated  
Tape Dispenser

Takes up to 75mm width



# Labelopes

Labelopes provide a fast and easy method for shipped goods information. Easy to apply in both standard and high tack versions, Pomona's labelopes are available in packing slip enclosed, invoice enclosed and plain in standard 115mm x 150mm sizes as well as A4 and A5 plain labelopes.



**S671**  
Packing Slip Enclosed  
Hi Tack Labelope

115mm x 150mm (1000 / Box)



**S672**  
Invoice Enclosed  
Hi Tack Labelope

115mm x 150mm (1000 / Box)



**S674**  
Plain  
Hi Tack Labelope

115mm x 150mm (1000 / Box)



**S771**  
Packing Slip Enclosed  
Labelope

115mm x 150mm (1000 / Box)



**S772**  
Invoice Enclosed  
Labelope

115mm x 150mm (1000 / Box)



**S774**  
Plain Labelope

115mm x 150mm (1000 / Box)



**S776**  
Plain Long Side Opening  
Labelope

175mm x 140mm (500 / Box)



**S655A**  
Plain A5  
High Adhesion Labelope

235mm x 175mm (500 / Box)



**S777**  
Plain A4 Long Side Opening  
High Adhesion Labelope

332mm x 235mm (500 / Box)



**S624**  
Lope on A Roll

Custom Print Available  
126mm x 153mm (333 lopes)



**S624ECO**  
Lope on A Roll Eco Friendly  
Bio Degradable Cellulose

Custom Print Available  
126mm x 153mm (333 lopes)



**S8988**  
Lope on A Roll Dispenser

Used in conjunction with the  
S624 and S624ECO

# Eco Paper Labelopes

Pomona's paper labelopes boast strong adhesion that remains secure across various temperatures and conditions. Designed for packaging, it's ideal for ensuring your packages and goods stay labeled and organised throughout their journey.



**P655A**  
eco paper high adhesion  
plain labelopes

235mm x 175mm (500 / Box)




**P671**  
eco paper high adhesion  
packing slip enclosed  
labelopes

115mm x 150mm (1000 / Box)




**P771**  
eco paper  
packing slip enclosed  
labelopes

115mm x 150mm (1000 / Box)



**P772**  
eco paper  
invoice enclosed labelopes

115mm x 150mm (1000 / Box)



**P774**  
eco paper  
plain labelopes

115mm x 150mm (1000 / Box)



**P776**  
eco paper  
plain labelopes

175mm x 140mm (500 / Box)



**P777**  
eco paper  
A4 plain labelopes

332mm x 235mm (500 / Box)

# Construction & Waterproofing

Specially formulated PE, PVC and foil films with both acrylic and rubber adhesives. Pomona construction tapes provide top quality solutions in a wide range of applications such as electrical insulation, film joining, ducting and floor marking. Available in a number of bold, single or multi coloured versions with high tack, strong, weatherproof and waterproof qualities.



**R7**  
PVC Rubber  
Electrical Insulation Tape

18mm x 20m



**R32 / R34**  
General Purpose  
PVC Poly Film  
Duct Tape

48mm x 30m



**S34 cs**  
Premium PVC Rubber Poly  
Film Joining Tape  
High Tack

48/72/96mm x 30m



**S35 → DAN181W**  
Premium PVC Rubber Poly  
Film Joining Tape  
This has been replaced by  
Danco DAN181W



**S470 cs**  
Exterior Grade  
PVC Rubber Joining Tape

18/24/36/48/72/96mm x 50m



**S88**  
UL Flame Retardant  
PVC Rubber  
Electrical Insulation Tape

18mm x 20m




**S471**  
High Tack PVC Rubber  
Floor Marking Tape

48mm x 33m




**R705**  
Anti Slip Tape  
80 Grit

48mm x 5m



**S370 cs**  
Industrial Grade Rayon  
Hot Melt Rubber Cloth Tape

36/48/72/96/144mm x 30m



**S361 cs**  
Premium 80 Mesh Rayon  
Natural Rubber Cloth Tape

18/24/36/48/60/  
72/80/96/144mm x 30m



**S362 cs**  
80 Mesh Matt Rayon  
Rubber Cloth Tape

36/48/72/96mm x 25m



**S380 cs**  
Green Exterior U.V Resistant  
Cloth Masking Tape

24/36/48mm x 30m



**S719613**  
PTFE 1.3mm Fibreglass  
Cloth Tape

12.5/18/24/48mm x 10/50m



**S719618**  
PTFE 1.8mm Fibreglass  
Cloth Tape

12.5/18/24/48mm x 10/50m



**S718**  
Anti Slip Tape  
80 Grit

48mm x 18m



**S830 cs**  
Aluminium Foil  
Butyl Flashing Tape

50/65/75mm x 3m



**S913 cs**  
Exterior Grade  
PE Modified Acrylic  
Joinery Protection Tape

18/24/36/48/72/100mm x 66m



**S920 cs**  
Exterior Grade  
PE Modified Acrylic  
UV Resistant Protection Tape

48/72/500mm x 5/25/50m



**S820/S822 →  
DAN820/DAN822**  
Aluminium Foil Bitumen  
Flashing Tape

This has been replaced by  
Danco DAN820/DAN822

# Cloth Tapes

Waterproof, weatherproof, strong and hand tearable, Pomona cloth tapes are available in gloss and matt finishes with numerous PE cloth and rayon mesh films. Top-quality high tack rubber adhesive and a wide range of bold colours make this range the perfect choice in construction areas, sound and lighting, bookbinding and general DIY applications.

# Masking Films

Pomona's interfold, pre taped and combination masking films are all made from corona treated, high density polyethylene film. Available in a number of sizes for all residential, automotive and industrial masking applications. Non-porous, anti static clear film material resists paint penetration and clings to the desired surface preventing paint overspray.



**S6650**  
HDPE Automotive Drape Film

120m x 5m



**S6506**  
Heavy Duty Exterior Grade Masking Film

610mm x 50m



**S6512**  
Heavy Duty Exterior Grade Masking Film

1200mm x 50m



**S6518**  
Heavy Duty Exterior Grade Masking Film

1800mm x 25m



**S6525**  
Heavy Duty Exterior Grade Masking Film

2500mm x 25m



**S6527**  
Heavy Duty Exterior Grade Masking Film

2700mm x 25m



**S6705**  
Green Cloth Pre Taped Masking Film

550mm x 15m



**S6711**  
Green Cloth Pre Taped Masking Film

1100mm x 15m



**S6718**  
Green Cloth Pre Taped Masking Film

1800mm x 15m



**S6724**  
Green Cloth Pre Taped Masking Film

2400mm x 15m



**KM150 up to KM900**  
MG Kraft Paper Masking Rolls 50gsm

144/288mm x 50m



**KM150 up to KM900**  
MG Kraft Paper Counter Rolls 50gsm

300/450/600/900mm x 400m

# Masking Tapes



The Pomona range of premium professional and specialised masking tapes provide a high quality result in the painting/decorating, marine and automotive markets. Specially formulated crepe and wash papers, vinyl and PET films coated with premium acrylic, solvent rubber and silicone adhesives, provide clean lines, excellent adhesion and ease of removal in all applications.



**S6143 CS**  
General Purpose Crepe Rubber Masking Tape

12/18/24/36/48/72mm x 50m



**S264 CS**  
Natural Professional Crepe Rubber Masking Tape

12/24/36/48/72mm x 50m



**S413**  
High Temperature Fine Line Masking Tape

3/6/12mm x 55m



**S236 CS**  
Yellow Professional Painters Crepe Rubber Masking Tape

18/24/36/48mm x 50m



**S239 CS**  
Green Professional Painters Crepe Rubber Masking Tape

18/24/36/48mm x 50m



**S270 CS**  
Super Fine Edge 28+ Day Masking Tape

18/24/36/48mm x 50m



**S271 CS**  
Blue Painter's 21+ Day Masking Tape

18/24/36/48mm x 50m



**S121 CS**  
Premium High Temperature Crepe Rubber Masking Tape

18/24/36/48mm x 50m



**S112 CS**  
Premium High Temperature Crepe Rubber Masking Tape

12/18/24/36/48mm x 50m



**S5850 CS**  
14 Day Exterior uPVC Rubber Masking Tape

18/24/36/48mm x 50m



**S380 CS**  
Green Exterior U.V Resistant Cloth Masking Tape

24/36/48mm x 30m



**S180 CS**  
High Temperature PET Silicone Masking Tape

10/18/20/24/36/48/60/72mm x 66m



**S289 CS**  
Delicate Surface Masking Tape

18/24/36/48mm x 50m

## Washi Tapes

Pomona washi masking tapes are made from strong, ultra-thin paper, delivering clean, straight paint lines. With six types in the range, there's a perfect option for every surface—from rough exteriors to freshly painted walls. Designed for versatility and durability, they offer UV and weather resistance and adhere well to a variety of surfaces including trim, painted walls, timber, steel, glass, and plastic.



**RR136 CS**  
Premium Multi-purpose  
Japanese Washi Tape

18/24/36/48mm x 50m



**RR163 CS**  
High Tack  
Japanese Washi Tape

18/24/36/48mm x 50m



**RR170 CS**  
Delicate Surface  
Japanese Washi Tape

18/24/36/48mm x 50m



**RR190 CS**  
Multi-Purpose  
Japanese Washi Tape

18/24/36/48mm x 50m



**S277 CS**  
Extra Delicate  
Washi Masking Tape

18/24/36/48mm x 50m



**S210 CS**  
Double Sided  
Washi Masking Tape

18/24/36/48mm x 50m



## Double Sided Tissue Carrier

Tissue carriers offer appreciable stretch resistance, while at the same time facilitating the application on different types of substrates, irregular, smooth or rough. These products, which can be torn by hand, are easy to handle, offer even quality and uniformity in all applications. Easy to apply, laminate, cut or even tear by hand, double-sided non-woven tissue tapes are particularly suited to kiss-cutting, sail making and non stop splicing applications.



**S401 CS**  
Double Sided  
Clear Acrylic Tissue Tape

9/12/18/24mm x 33m



**S402 CS**  
Double Sided Tissue  
Hot Melt Rubber Tape

12/24/36/48mm x 50m



**S403 CS**  
Double Sided  
Clear Solvent Acrylic Tape

12/18/24/48mm x 33/50m



**S405 CS**  
Double Sided Clear Tissue  
High Temperature  
Solvent Acrylic Tape

6/12/18/24/36/48mm x 50m



100% New Zealand Owned & Operated

## Double Sided Cloth & Scrim Carrier



From cloth double sided tape to butyl mesh tape, Pomona has a wide range of specialty double sided tapes to suit your needs. Ideal for waterproofing, fastening very rough carpets and permanent bonding applications.



**S1120N CS**  
Duplocoll Double Sided  
Dispersion Acrylic Scrim  
Carrier Tape

20/40mm x 50m



**S5931 CS**  
Butyl Mesh Tape  
with Kraft Paper Liner  
1.0mmTH

10/12/25/48mm x 15m



**S5932 CS**  
Butyl Mesh Tape  
with Kraft Paper Liner  
2.0mmTH

10/12/25mm x 10m



**S5933 CS**  
Double Sided Butyl Tape  
0.6mmTH

12/18/24/36/48mm x 30m



**S1010**  
Double Sided  
Superior High Tack Tape

24/36/48/72mm x 25m



## Double Sided Film Carrier

The plastic film allows for separation of the glue on both sides, while at the same time remaining thin. Rigidity, conformability, stretch resistance and tear resistance are the main qualities of double sided film carrier tapes.



**S1405 CS**  
Double Sided OPP  
Acrylic Tape

12/18/24/36/48mm x 33m



**S1205 CS**  
Double Sided Clear uPVC Film  
Rubber Tape

12/18/24/48mm x 33m



**S412 CS**  
Double Sided White uPVC Film  
Modified Acrylic Tape

12/18/24/36/48mm x 25m



**S411V2 CS**  
Double Sided Clear PET Film  
High Temp Acrylic Tape  
Custom Sizes Available

12/18/24/36/48mm x 50m



CS Custom Slit Available

22



# Single Sided Foam Tapes

Please refer to our Danco range of quality single sided foam tapes. [www.danco.co.nz](http://www.danco.co.nz)

# Double Sided Foam Carrier

High performance adhesive foam tapes offer excellent UV, temperature, oil, solvent resistance and conformability on all substrates. Designed for complex fixtures and assembly scenarios. Used in state-of-the-art-edge industries, their foam backings and variable densities ensure strong, definitive bonding inside or out.



**S5123 CS**  
Duplocoll® 2.0mmTH  
Double Sided PE Modified  
Acrylic Foam Tape  
12/18/24/48mm x 25m



**S1811 CS**  
Double Sided 1.1mmTH  
PE Modified Acrylic  
Foam Tape  
12/18/24/48mm x 25m



**S931F CS**  
Duplocoll® 1.3mmTH  
Double Sided Pure Acrylic  
PE Foam Tape  
12/18/24mm x 10/25m



**S9182 CS**  
Duplocoll® 1.0mmTH  
Double Sided Pure Acrylic  
PE Foam Tape  
12/18/24/48mm x 50m



**S57005 CS**  
Duplocoll® 1.0mmTH  
Double Sided PE Modified  
Acrylic Open Side Foam Tape  
12/18/24/48mm x 25m



# Double Sided PHB Tapes (Permanent High Bond)



Pomona PHB tapes provide convenient, simple fastening, ideal for use in many interior and exterior bonding applications. Highly durable, with good solvent and moisture resistance that give PHB tapes their unique characteristics. The specially formulated adhesive allows a high level of adhesion to a wide range of substrates. Available in customised widths and in a number of different thicknesses.



**S3011**  
White Double Sided  
1.1mmTH Permanent  
Acrylic High Bond Tape  
12/18/24mm x 33m



**S3402 CS**  
Double Sided 0.2mmTH  
Crystal Clear Permanent High  
Bond Tape  
12/18/24mm x 33m




**S3405 CS**  
Double Sided 0.5mmTH  
Crystal Clear Permanent High  
Bond Tape  
12/18/24mm x 33m




**S3410 CS**  
Double Sided 1.0mmTH  
Crystal Clear Permanent High  
Bond Tape  
12/18/24mm x 33m




**S3420 CS**  
Double Sided 2.0mmTH  
Crystal Clear  
PE Acrylic PHB Tape  
12/18/24mm x 16.5m



**S3706 CS**  
Double Sided 0.064mmTH  
Grey PE Acrylic PHB Tape  
9/12mm x 33m



**S3711 CS**  
Double Sided 1.1mmTH  
Grey Permanent  
High Bond Tape  
12/18/24/48mm x 33m



**R3811 CS**  
Auto Trim Mount Tape  
1.1mmTH  
12/18/24mm x 33m




**S7040**  
Double Sided 0.4mmTH  
Grey Permanent  
High Bond Tape  
12/18mm x 55m



**SCPT96207**  
Duplocoll® 2.00mmTH  
Crystal Clear Pure Adhesive  
Acrylic Tape  
7mm x 16.5m



**SCPT96209**  
Duplocoll® 2.00mmTH  
Crystal Clear Pure Adhesive  
Acrylic Tape  
9mm x 16.5m



**SCPT96307**  
Duplocoll® 3.00mmTH  
Crystal Clear Pure Adhesive  
Acrylic Tape  
7mm x 16.5m



**SCPT96309**  
Duplocoll® 3.00mmTH  
Crystal Clear Pure Adhesive  
Acrylic Tape  
9mm x 16.5m



## Double Sided Transfer Tapes

With no carrier, transfer tapes are highly conformable and easy to apply. They represent a highly viable alternative to direct coating in a number of processes. This adhesive solution combines high performance with economy. Economical with excellent conformability, transfer tapes may be applied to a wide range of substrates.



**S5135**  
Double Sided Transparent  
High Adhesion ATG  
Transfer Tape  
6/12mm x 16.5m



**S5130**  
Double Sided  
Transparent Permanent ATG  
Transfer Tape  
6/12/19mm x 33m



**S450 cs**  
Duplocoll® Double Sided  
Crystal Clear Pure Acrylic  
Adhesive High Temp Tape  
12/18/24/36/48mm x 100m

## Protection Films & Tape

Pomona's protection films can be used for a wide range of applications. Strong and tear resistant, they are ideal for use on carpet, glass and plastic surfaces.



**SPFL7100**  
Clear PE Carpet Protection  
Film (reverse wound)  
80um x 500mm x 100m  
80um x 1000mm x 100m



**SPFL8200G**  
Green Felt Floor  
Protection Film  
1mm x 1000mm x 50m



**S913 cs**  
Exterior Grade  
PE Modified Acrylic  
Joinery Protection Tape  
18/24/36/48/72/100mm x 66m



**S920 cs**  
Exterior Grade  
PE Modified Acrylic  
UV Resistant Protection Tape  
48/72/500mm x 5/25/50m



See the full range of Novacel processing and protection films.  
[www.danco.co.nz](http://www.danco.co.nz)

## Custom Label Artwork Information

### Choose Your Design



### Available Perforation Sizes (mm)

50mm 62.75mm 75mm 83.66mm 101.5mm  
125.5mm 150mm 203mm 251mm



- 1. Minimum Size 36mm x 50mm
- 2. Popular Size 72mm x 101.5mm
- 3. Popular Size 96mm x 101.5mm
- 4. Maximum Size 144mm x 250mm

## Custom Tape Artwork Information

### Choose Your Design



### Roll Direction



### Available print repeat lengths (mm)

150mm (artwork size 145mm)	228mm (artwork size 223mm)	275mm (artwork size 270mm)
163mm (artwork size 158mm)	237mm (artwork size 232mm)	304mm (artwork size 299mm)
177mm (artwork size 172mm)	251mm (artwork size 246mm)	400mm (artwork size 395mm)
203mm (artwork size 198mm)	254mm (artwork size 249mm)	500mm (artwork size 492mm)

## File Requirements

Vector files are the best type of file to supply.  
Please note 300dpi minimum for any jpeg file supplied.  
If you supply your artwork already setup please use the artwork size above to create your file.





Version 19.0